



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/088,148	06/24/2002	Kiyokazu Ikeda		9928

530 7590 10/11/2006

LERNER, DAVID, LITTENBERG,
KRUMHOLZ & MENTLIK
600 SOUTH AVENUE WEST
WESTFIELD, NJ 07090

EXAMINER

TESLOVICH, TAMARA

ART UNIT	PAPER NUMBER
----------	--------------

2137

DATE MAILED: 10/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.		Applicant(s)	
	10/088,148		IKEDA, KIYOKAZU	
	Examiner		Art Unit	
	Tamara Teslovich		2137	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 September 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f):
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on September 6, 2006 has been entered.

Claims 1-4, 6 and 9 are amended.

Claims 1-16 are herein considered.

Response to Arguments

Applicant's arguments, filed August 8, 2006, with respect to the rejection(s) of newly amended claim(s) 1-16 under 35 U.S.C. 102(b) in view of Ohta et al. have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of United States Patent No. 6,856,820 B1 to Kolls.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 2137

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

Claims 1-16 are rejected under 35 U.S.C. 102(e) as being anticipated by

United States Patent No. 6,856,820 B1 to Kolls.

Regarding claim 1, Kolls discloses a service providing system (col.3 line 45 thru col.4 line 20), including, at least, a plurality of electronic appliances, a service server (Internet based server), and a communication network, an authentication server being connected to the communication network; each electronic appliance (in-vehicle device) being equipped with a wireless communication terminal function, being mounted in a moving body, and being assigned a unique device ID, and the service server (Internet based server) having a function for providing a predetermined service and storing said unique device ID for each electronic appliance to which service can be provided, the service providing system comprising; authentication process means for allowing a communication terminal apparatus (global appliance/internet appliance) to access the electronic appliance (in-vehicle device) only when the communication terminal apparatus (global appliance/internet appliance) has been authenticated; registration means for registering said unique device ID assigned to each electronic appliance and transmission means for using said unique device ID to provide access, via communication network, from the service server (Internet based server) to a specified electronic appliance to which a specified service needs to be provided and transmitting

Art Unit: 2137

service information, which has a predetermined content for realizing the specified service, to the specified electronic appliance, in which the communication terminal apparatus can access the electronic appliance only through the authentication server (col.3 line 45 thru col.4 line 20).

Regarding claim 2, Kolls discloses a service providing system (col.3 line 45 thru col.4 line 20), including, at least, a plurality of electronic appliances, a service server (Internet based server), and a communication network, an authentication server being connected to the communication network; each electronic appliance (in-vehicle device) being equipped with a wireless communication terminal function, being mounted in a moving body , and being assigned a unique device ID, and the service server (Internet based server) having a function for providing a predetermined service and storing said unique device ID for each electronic appliance to which service can be provided, the service providing system comprising; authentication process means for allowing a communication terminal apparatus (global appliance/internet appliance) to access the electronic appliance (in-vehicle device) only when the communication terminal apparatus (global appliance/internet appliance) has been authenticated; first transmission means for providing access, via said communication network, from one of said electronic appliances to said service server (Internet based server) and transmitting information which has a predetermined content that can be used by a specified service from said electronic appliance to said service server (Internet based server); and second transmission means for using said unique device ID to provide access, via said

Art Unit: 2137

communication network, from said service server (Internet based server) to a specified electronic appliance to which a specified service needs to be provided and transmitting service information, which has a predetermined content for realizing the specified service, to the specified electronic appliance only through the authentication server (col.3 line 45 thru col.4 line 20).

Regarding claim 3, Kolls discloses a service providing system (col.3 line 45 thru col.4 line 20), including, at least, a plurality of electronic appliances, a plurality of mobile communication terminal apparatuses, and a communication network, an authentication server being connected to the communication network; each electronic appliance (in-vehicle device) being equipped with a wireless communication terminal function, being mounted in a moving body, and being assigned a unique device ID, and the service server (Internet based server) having a function for providing a predetermined service and storing said unique device ID for each electronic appliance to which service can be provided, the service providing system comprising; authentication process ("authentication data storage means") means for allowing a communication terminal apparatus (global appliance/internet appliance) to access the electronic appliance (in-vehicle device) only when the communication terminal apparatus (global appliance/internet appliance) has been authenticated; registration means for registering said unique device ID assigned to each electronic appliance and transmission means for using said unique device ID to provide access, via said communication network, from one of said mobile communication terminal apparatuses to a specified electronic

appliance, and transmitting service information, which includes a predetermined content for realizing a specified service to be provided, to the specified electronic appliance, in which the communication terminal apparatus (global appliance/internet appliance) can access the electronic appliance only through the authentication server (col.3 line 45 thru col.4 line 20).

Regarding claim 4, Kolls discloses a service providing system (col.3 line 45 thru col.4 line 20) including, at least, a plurality of electronic appliances, a plurality of mobile communication terminal apparatuses, and a communication network, an authentication server being connected to the communication network; each electronic appliance (in-vehicle device) being equipped with a wireless communication terminal function, being mounted in a moving body, and being assigned a unique device ID, and the service server (Internet based server) having a function for providing a predetermined service and storing said unique device ID for each electronic appliance to which service can be provided, the service providing system comprising; authentication process means for allowing a communication terminal apparatus (global appliance/internet appliance) to access the electronic appliance (in-vehicle device) only when the communication terminal apparatus (global appliance/internet appliance) has been authenticated; registration means for registering said unique device ID assigned to each electronic appliance and first transmission means for providing access, via the communication network, from one of said electronic appliances to one of the mobile communication terminal apparatuses and transmitting information, which has predetermined content

that can be used by a specified service, from the one of said electronic appliances to said one of the mobile communication terminal apparatuses; and second transmission means for using said unique device ID to provide access, via said communication network, from one of said mobile communication terminal apparatuses to a specified electronic appliance and transmitting service information, which has a predetermined content for realizing a specified service, to the specified electronic appliance, in which the communication terminal apparatus (global appliance/internet appliance) can access the electronic appliance only through the authentication server (uniquely identify and transfer information) (col.3 line 45 thru col.4 line 20).

Regarding claim 5, Kolls discloses a service providing system (col.3 line 45 thru col.4 line 20), composed of an electronic appliance, a communication network, a communication terminal apparatus, and an authentication server, the electronic appliance (in-vehicle device) being one of an electronic appliance that mounted in a moving body and is equipped with a mobile communication terminal function and a mobile communication terminal apparatus (global appliance/internet appliance) with a fixed access path to the communication network and the authentication server being connected to said communication network, the service providing system comprising; access means that enables the communication terminal apparatus (global appliance/internet appliance) to access the electronic appliance via the communication network using a device ID has been assigned uniquely to the electronic appliance, the communication terminal apparatus accessing the electronic appliance only through the

Art Unit: 2137

authentication server; terminal ID generating means , provided on said communication network, for generating a terminal ID for said communication terminal apparatus using information that identifies said fixed access path by which said communication terminal apparatus accesses said communication network; registration means for registering said unique device ID assigned to each electronic appliance and authentication process means provided in said authentication server, for using said terminal ID to perform an authentication process for said communication terminal apparatus that has accessed the authentication server and allowing said communication terminal apparatus to access said electronic appliance only when the communication terminal apparatus has been authenticated; and transmission/reception means for receiving and transmitting service information, which has a predetermined content for realizing a specified service, between said communication terminal apparatus that has been authenticated by said authentication process means and said electronic appliance (uniquely identify and transfer information).

Regarding claim 6, Kolls discloses a communication system (col.3 line 45 thru col.4 line 20) where data communication is performed between a plurality of communication appliances via a network, an authentication server being connected to the communication network; the communication system comprising a plurality of electronic appliances (in-vehicle device), each equipped with a wireless communication function and having a unique device ID for identifying the electronic appliance, registration means for registering said unique device ID assigned to each electronic

Art Unit: 2137

appliance, authentication process means for allowing a communication terminal apparatus (global appliance/internet appliance) to access the electronic appliance (in-vehicle device) only when the communication terminal apparatus (global appliance/internet appliance) has been authenticated; registration means for registering said unique device ID assigned to each electronic appliance and a wireless communication apparatus for connecting to said network and performing wireless communication that specifies one of the electronic appliances using said unique device ID, an authentication apparatus connected to said network and including group information for each of a plurality of groups of said electronic appliances to which unrestricted data communication can be performed, the group information being associated with the unique device IDs of the electronic appliances in the group, the authentication apparatus judging whether unrestricted data communication can be performed, based on the unique device ID of a electronic appliance and the group information, and controlling the wireless communication apparatus, in which the communication terminal apparatus can access the electronic appliance only through the authentication server (uniquely identify and transfer information).

Regarding claim 7, Kolls discloses wherein said electronic appliance comprises a first electronic appliance, said unique device ID comprises a first unique device ID, and said wireless communication function comprises a first wireless communication function (col.3 line 45 thru col.4 line 20), further comprising a plurality of second electronic appliances(in-vehicle device), each of which having a second wireless communication

function and a second unique device ID and a communication apparatus for communicating with one of said second electronic appliances and connecting to said network, receiving said second unique device ID from said second electronic appliance, and transmitting to said authentication apparatus a communication means ID that specifies communication means that is communicating with said second electronic appliance and further transmitting to said authentication apparatus said received second ID (uniquely identify and transfer information).

Regarding claim 8, Kolls discloses wherein the group information provided in said authentication apparatus further controls said second electronic appliance by associating each of said second unique device IDs of the second electronic appliances with said communication means ID (col.2 lines 5-65).

Regarding claim 9, Kolls discloses a communication apparatus (col.2 lines 5-65) for controlling communication between a plurality of electronic appliances, each electronic appliance being connected to a network, being provided with a unique device ID for identifying the electronic appliance, and being capable of transmission, the communication apparatus comprising communication means for communicating with another communication apparatus via said network; storage means for storing group information in which the plurality electronic appliances, which are permitted to communicate between themselves after the communication is authenticated, are registered as a group; authentication process means for allowing a communication

terminal apparatus (global appliance/internet appliance) to access the electronic appliance (in-vehicle device) only when the communication terminal apparatus (global appliance/internet appliance) has been authenticated; registration means for registering said unique device ID assigned to each electronic appliance and judgment means for judging, based on unique device IDs transmitted via the network before communication commences between said plurality electronic appliances and group information stored in said storage means, whether the communication is permitted; control means for having said communication means transmit a result judgment means to an exchange apparatus that is connected to said network and performs an exchange process for communication between electronic appliances based on the transmitted unique device IDs, in which the communication terminal apparatus can access the electronic appliance only through the authentication server (uniquely identify and transfer information).

Regarding claim 10, Kolls discloses wherein a wireless communication is performed between said electronic appliances and the exchange apparatus (col.3 line 45 thru col.4 line 20).

Regarding claim 11, Kolls discloses wherein said electronic appliances are navigation apparatuses (col.3 line 45 thru col.4 line 20).

Regarding claim 12, Kolls discloses wherein the electronic appliances are mobile telephones (col.3 line 45 thru col.4 line 20).

Regarding claim 13, Kolls discloses wherein each of said electronic appliances is connected to said communication means in said exchange apparatus, and

when communicating, each of said electronic appliances transmits said unique device ID to said communication apparatus, said exchange apparatus transmits a communication means ID for specifying said communication means to said communication apparatus, said communication apparatus authenticates said electronic appliance based on said group information, by referring combination of said transmitted unique device ID and said transmitted communication means ID (col.1 lines 40-48, col.5 lines 42-63).

Regarding claim 14, Kolls discloses wherein the group information is generated when an electronic appliance communicates with the communication apparatus via the network (col.3 line 45 thru col.4 line 20).

Regarding claim 15, Kolls discloses wherein the group information also includes content data that can be used by the electronic appliances which are registered in the group information (col.3 line 45 thru col.4 line 20).

Regarding claim 16, Kolls discloses wherein the content data is geographical information (col.3 line 45 thru col.4 line 20).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tamara Teslovich whose telephone number is (571) 272-4241. The examiner can normally be reached on Mon-Fri 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel Moise can be reached on (571) 272-3865. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


T. Teslovich


EMMANUEL L. MOISE
SUPERVISORY PATENT EXAMINER